



BELLISLIMO LITE

GCR 50 27 12 E32  
EC



TIN Code	305858
Range	50
Model	BelliSlimo Lite 50
Real Volume	40 L
Height	0.704 m
Width	0.490 m
Depth	0.280 m
Rated power	1200/1200 W
Heating time $\Delta t$ 45K (15 - 60°C)	1:44 h:min



Annual consumption of electricity AEC	1312/1279 kWh
Energy class	B
Load profile	M
V40	80/65 L
T <sub>out of the box</sub>	79/74 °C
MAX40	80/75 L



**HIGHEST ENERGY CLASS** in its category

**UP TO 18% ELECTRICITY SAVINGS** on a weekly basis by ECO SMART self-learning mode

**ENERGY CALCULATOR**

**NEUTRALISES GERMS IN THE WATER TANK** by Automatic Antilegionella setting

**SELF-DIAGNOSTICS SYSTEM** helps identify potential device issues

**ANTI-FREEZE** protection

**HIGH RELIABILITY AND SAFETY** of the heating process by precise CAPILLARY THERMOSTAT

**RELIABLE ANTICORROSION PROTECTION** due to **CRYSTALTECH** enamel coating of the water tank and the Magnesium Anode

**HIGH TEMPERATURE AND PRESSURE RESISTANCE** with a stainless steel hot water pipe

**DURABLE BOND** between the edges of the water tanks by PLASMA WELDING

**PRESSURE RELIEF VALVE** to prevent excess pressure build-up

**SELF-DIAGNOSTICS SYSTEM** helps identify potential device issues

**HYGIENIC CERTIFICATE**

**REVERSIBLE & SPACE SAVING:** Vertical or horizontal installation

With a new design and an elegant and preferred slim flat silhouette, the new electric water heater of TESI satisfies all of your décor needs. In addition, the included ECO SMART Mode guarantees effective coordination between energy savings and satisfying all of your individual hot water needs. Easy to use with an elegant design, BelliSlimo Lite is a true piece of art.